





Wireless Screens

Total Data Connect Wireless Screens provide a digital display for wireless sensors placed up to 200 feet away.

- Actionable Alerts: Receive both audible and visual notification when sensors are in alarm.
- High Contrast Display: High contrast e-ink display provides crystal clear readings.
- Easy Deployment: 100% wire-free design and integrated magnets make it easy to bring equipment performance visibility to your front lines.



Wireless Sensors

Total Data Connect Wireless Sensors offer the world's only 100% wire-free installation for deployment in minutes.

- 100% Wire-Free: Deploy in minutes with the industry's only sensor that can be placed directly in fridges and freezers no wires or cords.
- Long Battery Life: Easily replaceable AA batteries provide five years of operation without the need to change batteries.
- Plug & Play Install: Sensors automatically connect to your Total Data Connect gateway to provide a selfprovisioning installation process. Centralized configuration is provided through our web-based dashboard.



Cellular Gateway

Cellular Gateways enable Total Data Connect's remote monitoring systems to connect remotely to a cellular network via GSM or CDMA.

Wireless Sensors are connected to the Cellular Gateway to remotely monitor temperature, humidity, and more, and send alerts when conditions fall outside of configured set ranges.

- Plug & Play: No IT required.
- Connect up to 24 Wireless Sensors
- Includes Backup Battery (24 48 Hours)
- Compatible with GSM and CDMA



Ethernet Gateway

The Total Data Connect Wireless B Sensor is a compact and feature-rich environmental sensor and data collector designed for applications that require a minimal footprint.

B Sensors collect temperate and humidity data every 10 minutes and report this data to the SmartSense cloud dashboard via a SmartSense Gateway. In the event of a power failure, B Sensors will store and then forward when power is restored to ensure uninterrupted logging.

- Ultra-Compact Design
- Monitor Temperature and Humidity
- Detect Door Open/Close
- Over-the-Air Updatable
- Store-and-Forward Compatible
- Activate with a Simple Push of a Button



Ethernet Gateway

The Total Data Connect Ethernet Gateway provides a hardwired connection to the Remote Monitoring System network directly via an Ethernet cable.

Connect wireless sensors to the Ethernet Gateway to remotely monitor temperature, humidity, and more, and configure alerts when conditions fall outside of your set ranges.


- Plug & Play: No IT required.
- Connect up to 24 Wireless Sensors
- Connects via Hardwired Ethernet
- Enterprise Grade Encryption



Dashboards

Total Data Connect's cloud-based desktop Dashboard and and mobile app provides real-time insight into your safety initiatives and visibility into compliance, site performance, and risks.

Total Data Connect





www_totaldataconnect_com

614 East Hwy 50, Suite 250 Clermont, FL 34711 Phone 407-278-2498 Fax 321-296-8294

Copyright © 2021 Total Data Connect, LLC. All Rights Reserved.